

Republic of the Philippines CITY OF KORONADAL WATER DISTRICT

Blk. 1, Casa Subd., Brgy. Zone III, City of Koronadal Tel nos. (083)228-4049, 520-0674, Fax no. (083)228-8141 E-mail Address: ckwd_koronadalcity@yahoo.com Website: www.ckwd.gov.ph



REQUEST FOR QUOTATION

		Date:
SUPPLIER: ADDRESS:		
TELEPHONE: EMAIL ADDRESS:	VAT/ NON-VAT	
TIN:		RFQ No.

Sir/Madam:

Please quote your prices for the article described below including Philippine taxes. In your offer please specify brand of any pertinent data of your product or services for proper information and guidance. Please do not quote for any article/services that are not found in your stock in order to prevent delay or non-delivery which may debar you from further participation in the canvass. Sign legibly the canvass on space provided for your signature after submitting your quotation, otherwise your bid will be considered invalid.

The contract will be awarded only to the bonafide dealers whose proposals appeared to be the most advantageous to the government, but the right is reserved to reject or to accept only all item and bids to were any formalities thereof as to Committee on Bids and Awards may determine.

Please submit your quotation/ requirements for the following items at CKWD-Admin office, City of Koronadal.

Please quote your lowest price/offer

Deadline for Submission:

March 19, 2025 @ 12:00 noon

- Approved Budget for the Contract: **P367,500.00**
- Contract Duration:

30 Calendar Days

• Purchase Request Number:

GSD-25-01-016, GSD-25-01-0018 & GSD-25-01-026, GSD-25-02-035

	acc casimir y	our quotatio	nv requirements for the following items at CKWD-Admin office, City o	r Koronadai.	GSD-25-01-026, GSD)-25-02-035
			Supply, Delivery and of Various Computer Equ	ipment		
Item No	Qty	Unit	Description	Unit Cost as per budget	Unit Price Offered	Total Amoun
1	1	unit	Desktop Computer, i7, 16 GB RAM, 1TB SSD Brand: Model:	70,000.00		
			Operating system: Windows 10 or higher Processor Turbo Boost Frequency: up to 4.7 GHz Smart Cache Size: 12 MB Number of Cores/ Threads: 4 cores/ 8 threads Memory and Storage RAM:16 GB, expandable to 32 GB Memory Speed: at least 2600 MHz Storage: 1 TB SSD Graphics Processing Unit Dynamic Clock: at least 1500 MHz Thermal Design Power (TDP): at least 28 W Memory Speed: at least 4267 Gbps Memory Interface Width: at least 128-bit Memory Bandwidth: at least 68 GB/s MONITOR TECHNICAL SPECIFICATIONS: Display Panel Size: Wide Screen 24.5", 16:9 ratio Resolution: 1920 x 1080 pixels Response Time: 1ms (Gray to Gray), 0.5ms (Gray to Gray, min)			

Item No	Qty	Unit	Description	Unit Cost as per budget	Unit Price Offered	Total Amount
	Qty	Unit	Refresh Rate(max): 165 Hz Color: Black/ White Video Features: Manufacturer's Standard Audio Features: Manufacturer's Standard I/O Ports: Manufacturer's Standard Signal Frequency: Manufacturer's Standard Accessories: Dual-link DVI Cable, Audio Cable, Power Cord, Power Adapter, Display Port Cable, Quick Start Guide, HDMI Cable, Warranty Card KEYBOARD TECHNICAL SPECIFICATIONS: Switches: Mechanical Key Roll-over: at least 18 Cable Length: at least 1.5 m Backlight: Backlight Enabled Interface: USB Plug System Requirement: compatible to Windows OS MOUSE TECHNICAL SPECIFICATIONS: Sensor: Optical Sensor Resolution: at least 1.5 m Polling Rate: at least 500 DPI Interface: USB Plug Cable Length: at least 500 Hz Polling Rate/2 ms Response Time Backlight: Backlight Enabled UPS TECHNICAL SPECIFICATIONS: Output Max Power (Watts): can withstand required power requirement of the unit for at least 5 mins.Output Frequency: 60 Hz +/- 1 Hz Unsynchronized Transfer Time: at least 6 ms typical: 10 ms maximum Input Input Frequency: 60 Hz +/- 5 Hz Auto-sensing Number of Power Cords: 1 Surge Protection and Filtering Surge energy rating: at least 150 Joules AVR TECHNICAL SPECIFICATIONS: Rating Wattage: can withstand required power requirement of the unit Output Voltage: 220 V Frequency: 60 Hz Delay Output Time: 3 mins With servo-motor control system Equipped with overloading protection system and indicator	•	Unit Price Offered	Total Amount
			Equipped with fuse for added protection Multiple universal outlets Equipped with fan blower With input and output meter Guarantees voltage regulation in 1 second			

Item No	Qty	Unit	Description	Unit Cost as per budget	Unit Price Offered	Total Amount
			GENERAL CONDITIONS: -Input voltage must be compatible to 220 V - 230 V, AC to all components			
			Installed with the following software: AutoCAD 2016 (Trial Version) Office 365 (Trial Version) QGIS (Free Software) Avira Anti-virus (Free version)			
2	1	unit	Laptop Brand: Model:	100,000.00		
			Operating System: Windows 11 Processor: 13th Gen Intel Core i7-13650HX Processor 2.6 GHz 24M Cache, up to 4.9 GHz, 14 cores: 6 P-cores and 8 E-cores) Graphics: NVIDIA GeForce RTX 4050 Laptop GPU ROG Boost: 2420MHz* at 140W (2370MHz Boost Clock+50MHz OC, 115W+25W Dynamic Boost) 6GB GDDR6 Display: Display 16-inch 2560 x 1600, WQXGA IPS-level anti-glare display Memory: 16GB DDR5-4800 SO-DIMM Max Capacity: 32GB Support dual channel memory Storage: 1TB PCle 4.0 NVMe M.2 SSD Keyboard and Touchpad: Backlit Chiclet Keyboard 4- Zone RGB Touchpad			
3	3	unit	Printer Dot Matrix Brand: Model:	15,000.00		
			Printing Technology Print Method: Impact dot matrix Number of Pins in Head: at least 9 pins Print Direction Bi-direction with logic seeking Control Code EXC/P and IBM PPDS emulation Print Speed High Speed Draft 10 / 12 / 15 cpi; 347 / 357 / 390 cps High Speed Draft Condensed 17 / 20 cpi; 383 / 298 cps Draft 10 / 12 / 15 cpi; 260 / 312 / 223 cps Draft Condensed 17 / 20 cpi; 222 / 260 cps Draft Emphasized 10 cpi 130 cps NLQ 10 / 12 / 15 / 17 / 20 cpi 65 / 78 / 55 / 47 / 56 cps			

Item No	Qty	Unit	Description	Unit Cost as per budget	Unit Price Offered	Total Amount
			Print Characteristics Character Sets Italic table, PC437 (US Standard Europe), PC850 (Multilingual), PC860 (Portugese), PC861 (Icelandic), PC863 (Canadian French), PC865 (Nordic), Abicomp, BRASCII, Roman 8, ISO Latin 1, PC 858, ISO 8859-15			
			Printable Columns Pitch 10 / 12 / 15 / 17 / 20 cpi; 80 / 96 / 120 / 137 / 160 cpl			
			Paper Handling Paper Path Tractor Rear in, Top out Manual Insertion Rear in, Top out			
			Paper Size (L=length, W= width, T=Thickness) Cut Sheet (Single Sheet) L:100 ~ 364mm W:100 ~ 257mm T:0.065 ~ 0.14mm Cut Sheet (Multi Part) L:100 ~ 364mm W:100 ~			
			257mm T:0.12 ~ 0.39mm Envelope (No.6) L:92mm W:165mm T:0.16 ~ 0.52mm Envelope (No.10) L:105mm W:241mm T:0.16 ~			
			0.52mm Continuous Paper: L:101.6 ~ 558.8mm W:101.6 ~ 254.0mm T:0.065 ~ 0.39mm			
			Roll Paper W:216MM T: 0.07 ~ 0.09mm			
			Paper Feeding Standard Friction, Push Tractor Optional Roll Paper Holder Copies Original + 4 copies			
			Line Spacing 4.23mm (1/6") or programmable in increments of 0.118mm (1/216") Input Data Buffer 128KB			
			Interface Standard Bi-directional parallel (IEEE-1284 nibble mode supported) USB 2.0 Full-Speed Serial			

Item No	Qty	Unit	Description	Unit Cost as per budget	Unit Price Offered	Total Amount
			Ribbon Cartridge Standard Fabric Ribbon Cartridge (Black) Ribbon Life Approx. 4.0 million characters (Draft 10 cpi, 14dots/character) Electrical Specification Rated Voltage AC 220 - 240V Rated Frequency 50Hz ~ 60Hz Printer Driver/Utility Operating System Microsoft Windows XP / Vista / 7 / 8 / 8.1 / 10 / 11			
4	3	unit	Uninterruptible Power Supply (UPS) Input Voltage: 220VAC Frequency: 50hz – 60hz Output Voltage: 220VAC Capacity VA/Wattage: 650VA/455Watts	2,500.00		
5	2	pcs	Printer Brand: Model:	45,000.00		
			Specifications Print, Copy, Scan, Fax Up To A3 Automatic 2-Sided Printing Up To A3 Print Resolution Up To 1200x4800 dpi Atleast 50-Sheet Automatic Document Feeder Wired/Wireless Lan & Wifi Direct Atleast 250-Sheet Paper Tray Capacity & 100-Sheet Mp Tray			
6	1	unit	COMPUTER LAPTOP Brand: Model:	55,000.00		
			(Inclusive of LAPTOP, MOUSE, and BAG) Indicate: (i5, 16GB RAM, 512GB SSD) LAPTOP TECHNICAL SPECIFICATIONS Operating system: Windows 11 (licensed) Processor Turbo Boost Frequency: up to 4.6 GHz with Intel® Turbo Boost Technology Smart Cache Size: 12 MB L3 cache Number of Cores/ Threads: 10 cores, 12 threads Memory and Storage RAM: 16 GB DDR4 Memory Speed: 3200 MHz Storage: at least 512 GB SSD			

Item No	Qty	Unit	Description	Unit Cost as per budget	Unit Price Offered	Total Amount
			Display Panel Size: 39.6 cm (15.6") diagonal Display Screen Technology: Manufacturer's standard Resolution: FHD (1920 x 1080), micro-edge, anti glare, 250 nits, 45% NTSC Response Time: Manufacturer's standard Refresh Rate(max): Manufacturer's standars Touchscreen: N/A			
			Graphics Processing Unit Dynamic Clock: at least 1500 MHz Thermal Design Power (TDP): at least 28 W Memory Speed: at least 4267 Gbps Memory Interface Width: at least 128 bit Memory Bandwidth: at least 68 GB/s Manufacturer's Standard Audio Features: Dual speaker I/O Ports: DP 1.4 w/ HDR, HDMI 2.0b Network and Communication: Manufacturer's standard			
			Battery Information Number of Cells: 3-cell Battery Chemistry: Mnaufacturer's standard Battery Capacity: 41 Wh Li-ion Maximum Battery Run Time: Manufacturer's standard			
			Features Built-in Webcam Built-in Microphone Built-in Numeric Keyboard MOUSE TECHNICAL SPECIFICATIONS (Cable) Sensor: Optical Sensor			
			Resolution: at least 1500 DPI Interface: USB Plug Cable Length: at least 1.5 m Polling Rate: at least 500 Hz Polling Rate/ 2 ms Response Time Backlight: Backlight Enabled			
			Installed with the following software Avira Anti-virus (Free version) Office Suite: Genuine or Licensed Microsoft Office 2019			
			GENERAL CONDITIONS FOR ALL ITEMS:			
			Warranty of one (1) year on all major components All items must be brand new Inclusive of other standard accessories			
			Nothing Follows			
			Grand Total			

06-10-24

					1	,	
Item No	Qty	Unit	Description	Unit Cost as per budget	Unit Price Offered	Total Amount	
Ter	ms and Condition	ns:					
	> Payment term:		30 Calendar Days				
	> Delivery Days	:	30 Calendar Days upon receipt of Conformed Notice to Proceed				
	•	•	I items shall be awarded as one contract. The unit cost offered of or disqualification.	each item must not	exceed the unit cost as	per budget	
	> Supplier must	have a ware	house/office within Region XII.				
	> Quotations exc	eeding the Ap	proved Budget for the Contract shall be rejected.				
			of the items will be ground for disqualification.				
	 > Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s. > Liquidated damages equivalent to one tenth of one percent (0.001%) of the value of the goods not delivered within the prescribed delivery period shall be imposed Price quoted must be tax inclusive: Tax Computation; -Subject to 3% VAT & 2% (services) or 1% (goods) w/tax of the total amount for NON-VAT -Subject to 5% VAT & 2% (services) or 1% (goods) w/tax to the 10/11.2 of the total amount for VAT -Validity of quoted prices 						
	For more information, please contact: The BAC Secretariat Engr. Katherine Dianne A. Alinsugay/Kristine Mae I. Babila/ Rolly D. Buendia/ Louise Mycee R. Subaldo Blk.1 Casa Subdivision, Brgy Zone III, City of Koronadal Tel/Fax No.:(083)-228-4049/520-0674/ (083)228-8141 Mobile number: 09486540266 Email Add: ckwdbac@gmail.com and mycsubaldo@gmail.com						
	Requested by:				PRICE QUOTED BY:		

(ogai) Enoiti Continui di Chertinii	
BAC Chairman	Signature Over Printed Name & Position
	(Supplier)
Date:	Date:

06-10-24